Item available for public inspection in the Clerk's office during regular business hours (Monday – Friday, 9 AM – 5 PM)

# October 4, 2022 Regular Meeting Item #7B (Regular Agenda) Public Health

Power Point Presentation and supporting documents by Dr. Caryn Slack
















TOTAL POSITIVE CASES (PCR CONF): 3195 POSITIVITY RATE: 4 7 / CASE RATE/100,000: 4







### NUMBER OF POSITIVE CASES BY WEEK FOR THE PAST MONTH

- 9/4 9/10: 14
- 9/11 9/17: **19**
- 9/18 9/24: 8
- 9/25 10/1: 4



- No current COVID-19 related hospitalizations
- No recent hospitalizations in Mono County
- Status = Green

### nature

nature > news explainer > article

**NEWS EXPLAINER** | 03 October 2022

# Will there be a COVID winter wave? What scientists say

Emerging variants and waning immunity are likely to push infection rates higher in the Northern Hemisphere as influenza also makes a comeback.

**Ewen Callaway** 



Social dynamics are back to pre-pandemic norms in many parts of the world. Credit: Raj K Raj/Hindustan Times/Getty

Evidence is building that the Northern Hemisphere is on course for a surge of COVID-19 cases this autumn and winter. New immune-evading strains of the Omicron variant of SARS-CoV-2, behaviour changes and waning immunity mean that many countries could soon see large numbers of COVID-19 infections — and potentially of hospitalizations — say scientists.

*Nature* explores the factors that might drive a COVID-19 wave — and what countries can do to blunt the effects with the new generation of vaccines that target Omicron.

### Will there be a COVID-19 wave this autumn and winter?

In mid-August, an effort called the COVID-19 Scenario Modeling Hub laid out several possible scenarios for the United States over the coming months. After surges caused by the BA.5 Omicron variant — resulting in high immunity in the population — the United States could be in for a relatively quiet COVID-19 season, the models suggested, as long as vaccine-booster campaigns began quickly and new variants didn't emerge. Even with a new variant, a big surge in cases wasn't certain.



New Omicron-specific vaccines offer similar protection to existing boosters

More than a month on, hospitalizations are declining in line with projections, says Justin Lessler, an infectious-disease epidemiologist at the University of North Carolina at Chapel Hill who leads the modelling effort. But other factors on the horizon could spell trouble. The roll-out of 'bivalent' boosters that target both the original SARS-CoV-2 strain and Omicron "has been a little bit slow", says Lessler. And there are now subtle signs that Omicron is evolving and spawning a new generation of immunity-

dodging variants. "It could lead to some upswings as we go into the fall and winter months," Lessler adds. Some US states are already beginning to see an uptick in cases, notes epidemiologist Jennifer Nuzzo at Brown University in Providence, Rhode Island.

The United Kingdom's weekly population survey of SARS-CoV-2 infections, a gold standard in COVID-19 data, has documented an increase in COVID-19 prevalence in England and Wales in its past two reports. The number of people hospitalized after testing positive for SARS-CoV-2 is rising quickly — although from low levels — in Britain and other European countries.

In the background, a slew of immunity-dodging variants are emerging globally, and researchers think these will fuel an autumn–winter wave.

### Are new variants behind rising case numbers?

Probably not yet, says Tom Wenseleers, an evolutionary biologist at the Catholic University of Leuven in Belgium. The current rise in SARS-CoV-2 infections is probably largely because in most people, immunity generated by vaccines or previous infections is waning. People are also mixing more than they did earlier in the pandemic. In many countries, including the United Kingdom, social dynamics are nearly back to prepandemic levels, say health officials. Factors that cause other respiratory viruses to thrive in cooler months — including extra time spent indoors — could also be at play.


### Will we see a new Omicron strain this autumn?

We might see three or more. The Omicron subvariants that drove past waves - BA.2, BA.4 and BA.5 - are subsiding, but their descendants are gaining mutations that seem to be helping them to spread.

SARS-CoV-2-watchers are tracking an unprecedented menagerie of variants from a number of branches of the Omicron family tree, says Tom Peacock, a virologist at Imperial College London. Despite these variants' distinct ancestries, they carry many of the same mutations to the SARS-CoV-2 spike protein (the part of the virus that immune systems target). "Clearly, there's an optimal way for a variant to look going into this season," says Peacock.

Researchers are keeping a close eye on certain sublineages. The United Kingdom and some other European countries, for instance, are seeing the swift ascent of BQ.1 (a descendant of BA.5 with several key changes). In India, spawn of the BA.2.75 variant that drove an infection wave several months ago are now outcompeting all others, says microbiologist Rajesh Karyakarte, based in Pune, who coordinates SARS-CoV-2 genetic sequencing in the state of Maharashtra. In samples his team sequenced in late September, a subvariant called BA.2.75.2 was the most common, followed by a close relative. Another BA.2 offshoot, BA.2.3.20, is growing quickly in Singapore, and has turned up in Denmark and Australia.

"I'm fairly confident that at least one of these variants or a combination of them will lead to a new infection wave," says Wenseleers. And, because they all seem to be behaving similarly, "at the end of the day, it's not that important which of these becomes the next big thing".



The Omicron variant: evolutionary descendants of this lineage of the virus SARS-CoV-2 (yellow and green dots) are gaining mutations that seem to be helping them spread. Credit: Steve Gschmeissner/SPL

### Why are these variants on the rise?

Two words: immune evasion. All the variants that researchers are tracking contain multiple overlapping changes to a portion of the spike protein called the receptor binding domain, which is targeted by potent infection-blocking, or neutralizing, antibodies. That numerous viruses are independently developing the same spike mutations suggests that these changes provide a big advantage to the viruses' ability to spread, says Yunlong Richard Cao, an immunologist at Peking University in Beijing.

In a September preprint<sup>1</sup>, Cao and his colleagues evaluated the capacity of the new crop of variants to evade neutralizing antibodies from vaccination and previous infection with other variants. They found that BQ.1.1 (a member of the BQ.1 family with one extra spike change) and BA.2.75.2 were the most immune evasive, even able to dodge most neutralizing antibodies elicited by infection with BA.5. Two antibody drugs were still effective against BA.2 and BA.5, but they are likely to lose much of their potency against many of the emerging Omicron subvariants, the study suggests. Another team<sup>2</sup>, including Peacock, came to similar conclusions about BA.2.75.2. "The degree of immune escape and evasion is amazing right now, crazy," says Cao.

### How big will autumn-winter waves be?

On the basis of initial estimates, Wenseleers thinks that autumn—winter waves will be similar in size to BA.5 surges, at least as far as infection numbers go. What's harder to predict is the effect on hospitalizations. The build-up of population immunity from vaccination and previous infection is likely to keep admissions lower than during past COVID-19 waves, say researchers, but how low is unclear. "While a completely different game than it would have been in 2020 or 2021, a surge still would probably be associated with an increase in deaths and an increase in hospitalizations," says Lessler.

But even a relatively muted COVID-19 wave could put strain on hospitals, which are facing backlogs and other conditions that put a heavy burden on health systems in the winter. Influenza, which has barely registered over the past two winters, is likely to come back with a vengeance in the Northern Hemisphere this season, stoking fears of a 'twindemic' of influenza and COVID-19. "In a bad flu year, hospital systems get pretty stressed," says Lessler.

### What about the new vaccines?

Boosters, including bivalent vaccines, are likely to offer some protection against infection with emerging variants. But this might not last long, say scientists. One part of

the bivalent vaccines is based on an Omicron subvariant — BA.1 in UK-approved vaccines and BA.5 in the United States. But there are signs<sup>3</sup> that the vaccines tend to stimulate the production of neutralizing antibodies that best recognize not Omicron, but the ancestral virus on which the first vaccines were based. A second dose of the boosters might be needed to generate high levels of Omicron-specific neutralizing antibodies, says Cao.

Fortunately, all evidence suggests that COVID-19 vaccines old and new remain highly effective at preventing severe disease, which Nuzzo argues should be the main goal of autumn and winter booster programmes. This means concentrating booster campaigns on those at the highest risk of severe disease, including older people and people with underlying health conditions, who will benefit the most from the added protection. "We need a laser focus on protection against severe illness," she says.

doi: https://doi.org/10.1038/d41586-022-03157-x

### References

- 1. Cao, Y. et al. Preprint at bioRxiv https://doi.org/10.1101/2022.09.15.507787 (2022).
- 2. Sheward, D. J. *et al.* Preprint at bioRxiv https://doi.org/10.1101/2022.09.16.508299 (2022).
- 3. Alsoussi, W. B. *et al.* Preprint at bioRxiv https://doi.org/10.1101/2022.09.22.509040 (2022).

### Latest on:



# SARS-CoV-2 mimics a host protein to bypass defences

NEWS & VIEWS | 05 OCT 22



### 100,000 coronavirus genomes reveal COVID's evolution in Africa

NEWS | 03 OCT 22



## How a COVID lockdown changed bird behaviour

NEWS | 28 SEP 22

Nature (*Nature*) ISSN 1476-4687 (online) ISSN 0028-0836 (print)

© 2022 Springer Nature Limited